

# CFS0990SC Land between


### Land between Broadway Road and the A46






**New RoFSW mapping** 

#### Previous RoFSW mapping



1 Broughton Park
Old Lane North
Broughton
Skipton
North Yorkshire
BD23 3FD
+44 (0)1756 799 919
info@jbaconsulting.com





## Risk of Flooding from Surface Water (RoFSW)

- District Boundary
- Site Boundary
- High Risk (>3.3% Annual Probability)
- Medium Risk (1% 3.3% Annual Probability)
- Low Risk (0.1% to 1% Annual Probability)
- Very Low Risk (<0.1% Annual Probability)

### SWDP43/29a **Chequers Lane / Henwick Road**






**New RoFSW mapping** 

1 Broughton Park Old Lane North Broughton Skipton North Yorkshire BD23 3FD +44 (0)1756 799 919 info@jbaconsulting.com





#### **Risk of Flooding from Surface Water (RoFSW)**

**District Boundary** 

Site Boundary

High Risk (>3.3% Annual Probability)

Medium Risk (1% - 3.3% Annual Probability)


Low Risk (0.1% to 1% Annual Probability)

Very Low Risk (<0.1% Annual Probability)


Contains OS data © Crown copyright and database right (2025). Contains Environment Agency information © Environment Agency and/or database rights. Contains public sector information licensed under the Open Government Licence v3.0. This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

#### 100 200 m

# CFS0367 Land off Lingfield Road, Evesham



#### **Previous RoFSW mapping**





**New RoFSW mapping** 

1 Broughton Park
Old Lane North
Broughton
Skipton
North Yorkshire
BD23 3FD
+44 (0)1756 799 919
info@jbaconsulting.com





## Risk of Flooding from Surface Water (RoFSW)

District Boundary

Site Boundary

High Risk (>3.3% Annual Probability)

Medium Risk (1% - 3.3% Annual Probability)


Low Risk (0.1% to 1% Annual Probability)


Very Low Risk (<0.1% Annual Probability)

# CFS0400sc Eatons Farm, Church Lane, Tibberton



**Previous RoFSW mapping** 






**New RoFSW mapping** 

1 Broughton Park
Old Lane North
Broughton
Skipton
North Yorkshire
BD23 3FD
+44 (0)1756 799 919
info@jbaconsulting.com





## Risk of Flooding from Surface Water (RoFSW)

District Boundary

Site Boundary

High Risk (>3.3% Annual Probability)

Medium Risk (1% - 3.3% Annual Probability)

Low Risk (0.1% to 1% Annual Probability)

Very Low Risk (<0.1% Annual Probability)

## CFS0560 Land Adia

### Land Adjacent to Defford Motors, Main Street, Defford






Crown Lane


**New RoFSW mapping** 

#### **Previous RoFSW mapping**



1 Broughton Park
Old Lane North
Broughton
Skipton
North Yorkshire
BD23 3FD
+44 (0)1756 799 919
info@jbaconsulting.com





## Risk of Flooding from Surface Water (RoFSW)

☐ District Boundary

Site Boundary


High Risk (>3.3% Annual Probability)

Medium Risk (1% - 3.3% Annual Probability)


Low Risk (0.1% to 1% Annual Probability)


Very Low Risk (<0.1% Annual Probability)

# N CFS0680 Land off Sawmills Walk/Briar Close, Evesham



**Previous RoFSW mapping** 





**New RoFSW mapping** 

1 Broughton Park
Old Lane North
Broughton
Skipton
North Yorkshire
BD23 3FD
+44 (0)1756 799 919
info@jbaconsulting.com





## Risk of Flooding from Surface Water (RoFSW)

District Boundary

Site Boundary


High Risk (>3.3% Annual Probability)

Medium Risk (1% - 3.3% Annual Probability)


Low Risk (0.1% to 1% Annual Probability)


Very Low Risk (<0.1% Annual Probability)

# CFS0691sc Land off Wyre Road, Pershore



#### **Previous RoFSW mapping**






**New RoFSW mapping** 

1 Broughton Park
Old Lane North
Broughton
Skipton
North Yorkshire
BD23 3FD
+44 (0)1756 799 919
info@jbaconsulting.com





## Risk of Flooding from Surface Water (RoFSW)

District Boundary

Site Boundary

High Risk (>3.3% Annual Probability)

Medium Risk (1% - 3.3% Annual Probability)


Low Risk (0.1% to 1% Annual Probability)

Very Low Risk (<0.1% Annual Probability)

## CFS0866

### Land adjacent to & west of the Galton Arms, Himbleton





**New RoFSW mapping** 

1 Broughton Park
Old Lane North
Broughton
Skipton
North Yorkshire
BD23 3FD
+44 (0)1756 799 919
info@jbaconsulting.com





## Risk of Flooding from Surface Water (RoFSW)

District Boundary

Site Boundary

High Risk (>3.3% Annual Probability)

Medium Risk (1% - 3.3% Annual Probability)


Low Risk (0.1% to 1% Annual Probability)


Very Low Risk (<0.1% Annual Probability)

Contains OS data © Crown copyright and database right (2025). Contains Environment Agency information © Environment Agency and/or database rights. Contains public sector information licensed under the Open Government Licence v3.0. This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

#### **Previous RoFSW mapping**

### **CFS0891 Land south of Vale Park, Evesham**





**New RoFSW mapping** 

1 Broughton Park Old Lane North Broughton Skipton North Yorkshire BD23 3FD +44 (0)1756 799 919 info@jbaconsulting.com





#### **Risk of Flooding from Surface Water (RoFSW)**

**District Boundary** 

Site Boundary

High Risk (>3.3% Annual Probability)

Medium Risk (1% - 3.3% Annual Probability)

Low Risk (0.1% to 1% Annual Probability)


Very Low Risk (<0.1% Annual Probability)


## N CFS0925 Two Shire

### Two Shires Park, Weston Road, Honeybourne



**Previous RoFSW mapping** 





**New RoFSW mapping** 

1 Broughton Park
Old Lane North
Broughton
Skipton
North Yorkshire
BD23 3FD
+44 (0)1756 799 919
info@jbaconsulting.com





## Risk of Flooding from Surface Water (RoFSW)

District Boundary

Site Boundary

High Risk (>3.3% Annual Probability)


Medium Risk (1% - 3.3% Annual Probability)


Low Risk (0.1% to 1% Annual Probability)

Very Low Risk (<0.1% Annual Probability)

### CFS1044 & CFS1044bsc

### Land at Mitton, East of Bredon Road, Tewkesbury






### **New RoFSW mapping**

1 Broughton Park Old Lane North Broughton Skipton North Yorkshire BD23 3FD +44 (0)1756 799 919 info@jbaconsulting.com






#### **Risk of Flooding from Surface Water (RoFSW)**

- **District Boundary**
- Site Boundary
- High Risk (>3.3% Annual Probability)
- Medium Risk (1% 3.3% Annual Probability)
- Low Risk (0.1% to 1% Annual Probability)
- Very Low Risk (<0.1% Annual Probability)

## N


### CFS0933 + CFS1076

### Land at Navigation Road, Diglis, Worcester



**Previous RoFSW mapping** 





**New RoFSW mapping** 

1 Broughton Park
Old Lane North
Broughton
Skipton
North Yorkshire
BD23 3FD
+44 (0)1756 799 919
info@jbaconsulting.com





### Risk of Flooding from Surface Water (RoFSW)

District Boundary

Site Boundary

High Risk (>3.3% Annual Probability)

Medium Risk (1% - 3.3% Annual Probability)


Low Risk (0.1% to 1% Annual Probability)


Very Low Risk (<0.1% Annual Probability)

# CFS0120 Land south of Playing Field at Martley



**Previous RoFSW mapping** 






**New RoFSW mapping** 

1 Broughton Park
Old Lane North
Broughton
Skipton
North Yorkshire
BD23 3FD
+44 (0)1756 799 919
info@jbaconsulting.com





## Risk of Flooding from Surface Water (RoFSW)

District Boundary

Site Boundary

High Risk (>3.3% Annual Probability)

Medium Risk (1% - 3.3% Annual Probability)


Low Risk (0.1% to 1% Annual Probability)

Very Low Risk (<0.1% Annual Probability)

# CFS0407sc Land south of Madresfield Road, Malvern



**Previous RoFSW mapping** 






**New RoFSW mapping** 

1 Broughton Park
Old Lane North
Broughton
Skipton
North Yorkshire
BD23 3FD
+44 (0)1756 799 919
info@jbaconsulting.com





## Risk of Flooding from Surface Water (RoFSW)

District Boundary

Site Boundary

High Risk (>3.3% Annual Probability)


Medium Risk (1% - 3.3% Annual Probability)

Low Risk (0.1% to 1% Annual Probability)


Very Low Risk (<0.1% Annual Probability)

# N

### CFS1124sc Land at Millend Racing Stables, Netherton Lane, Elmley Castle



**Previous RoFSW mapping** 






**New RoFSW mapping** 

1 Broughton Park
Old Lane North
Broughton
Skipton
North Yorkshire
BD23 3FD
+44 (0)1756 799 919
info@jbaconsulting.com





## Risk of Flooding from Surface Water (RoFSW)

District Boundary

Site Boundary


High Risk (>3.3% Annual Probability)

Medium Risk (1% - 3.3% Annual Probability)


Low Risk (0.1% to 1% Annual Probability)


Very Low Risk (<0.1% Annual Probability)

# CFS1181 Land to the West of Ivy Lane, Bretforton



**Previous RoFSW mapping** 






**New RoFSW mapping** 

1 Broughton Park Old Lane North Broughton Skipton North Yorkshire BD23 3FD +44 (0)1756 799 919 info@jbaconsulting.com






## Risk of Flooding from Surface Water (RoFSW)

- District Boundary
- Site Boundary
- High Risk (>3.3% Annual Probability)
- Medium Risk (1% 3.3% Annual Probability)
- Low Risk (0.1% to 1% Annual Probability)
- Very Low Risk (<0.1%
  Annual Probability)

# CFS0028Top Croft, Cleeve Road, Middle Littleton



#### **Previous RoFSW mapping**






**New RoFSW mapping** 

1 Broughton Park
Old Lane North
Broughton
Skipton
North Yorkshire
BD23 3FD
+44 (0)1756 799 919
info@jbaconsulting.com





## Risk of Flooding from Surface Water (RoFSW)

District Boundary
-------------------

	Site	Bound	lary
--	------	-------	------


High Risk (>3.3% Annual Probability)

Medium Risk (1% - 3.3% Annual Probability)


Low Risk (0.1% to 1% Annual Probability)


Very Low Risk (<0.1% Annual Probability)

# CFS1144 Land off Mayfield Road



**Previous RoFSW mapping** 





**New RoFSW mapping** 

1 Broughton Park
Old Lane North
Broughton
Skipton
North Yorkshire
BD23 3FD
+44 (0)1756 799 919
info@jbaconsulting.com





## Risk of Flooding from Surface Water (RoFSW)

District Boundary

Site Boundary

High Risk (>3.3% Annual Probability)

Medium Risk (1% - 3.3% Annual Probability)

Low Risk (0.1% to 1% Annual Probability)

Very Low Risk (<0.1% Annual Probability)

# N SWDP59/19 Land adjacent to Station Road



**Previous RoFSW mapping** 






**New RoFSW mapping** 

1 Broughton Park
Old Lane North
Broughton
Skipton
North Yorkshire
BD23 3FD
+44 (0)1756 799 919
info@jbaconsulting.com





## Risk of Flooding from Surface Water (RoFSW)

☐ District Boundary

Site Boundary


High Risk (>3.3% Annual Probability)

Medium Risk (1% - 3.3% Annual Probability)


Low Risk (0.1% to 1% Annual Probability)


Very Low Risk (<0.1% Annual Probability)

# N SWDP44/3 Trinity House / Cornmarket



**Previous RoFSW mapping** 






**New RoFSW mapping** 

1 Broughton Park
Old Lane North
Broughton
Skipton
North Yorkshire
BD23 3FD
+44 (0)1756 799 919
info@jbaconsulting.com





## Risk of Flooding from Surface Water (RoFSW)

District Boundary

Site Boundary


High Risk (>3.3% Annual Probability)

Medium Risk (1% - 3.3% Annual Probability)


Low Risk (0.1% to 1% Annual Probability)


Very Low Risk (<0.1% Annual Probability)

# N SWDP48/6 Canal Basin (Netherwich)



**Previous RoFSW mapping** 






**New RoFSW mapping** 

1 Broughton Park
Old Lane North
Broughton
Skipton
North Yorkshire
BD23 3FD
+44 (0)1756 799 919
info@jbaconsulting.com





## Risk of Flooding from Surface Water (RoFSW)

District Boundary

Site Boundary

High Risk (>3.3% Annual Probability)

Medium Risk (1% - 3.3% Annual Probability)


Low Risk (0.1% to 1% Annual Probability)

Very Low Risk (<0.1% Annual Probability)


## N


## CFS0483a + CFS0483b

### Land at Hadzor, Droitwich Spa Hadzor (Sites 1 & 2)



**Previous RoFSW mapping** 






**New RoFSW mapping** 

1 Broughton Park
Old Lane North
Broughton
Skipton
North Yorkshire
BD23 3FD
+44 (0)1756 799 919
info@jbaconsulting.com





### Risk of Flooding from Surface Water (RoFSW)

☐ District Boundary

Site Boundary

High Risk (>3.3% Annual Probability)

Medium Risk (1% - 3.3% Annual Probability)

Low Risk (0.1% to 1% Annual Probability)

Very Low Risk (<0.1% Annual Probability)